


rasteli
RUBINETTERIE



519

RUBINETTO IN OTTONE, PER SCARICO CALDAIA
BRASS BOILER DRAIN PLUG COCK

Rubinetto in ottone per scarico caldaia, disponibile con filettatura EN-ISO 228/1.

INSTALLAZIONE

Per un corretto montaggio utilizzare per la tenuta sui filetti, un materiale compatibile con il fluido che scorre all'interno della valvola, non eccedere nell'uso.

Avvitare la valvola sui tubi filettati, posizionando la chiave esclusivamente sulle apposite parti esagonali fino a raggiungere il bloccaggio della valvola sul tubo.

MANUTENZIONE

Non sono previste operazioni di manutenzione

SMALTIMENTO

Prima dello smaltimento, smontare la valvola e suddividere i componenti in base al tipo di materiale.

Consultare le schede prodotto per maggiori informazioni. Avviare i materiali così suddivisi al riciclaggio (per es. materiali metallici) o allo smaltimento, in accordo alla legislazione locale in vigore e nel rispetto dell'ambiente.

CORPO, MASCHIO E CALOTTE

Ottone 617 UNI-EN 12165

TAPPO CON CATENELLA

Plastica con guarnizione

FINITURA

Sabbiata

Brass cock for boiler drain.

INSTALLATION

For the sealing on threads, use material compatible with the fluid used only. Screw the plug cock onto the threaded pipes, positioning the key exclusively on the special hexagonal parts.

MAINTENANCE

No maintenance required.

DISPOSAL

Prior to disposal, disassemble the valve and separate the component according to various materials. Please refer to product literature for more information. Forward sorted material to recycling (e.g. metallic materials) or dispose it, according to local and currently valid legislation taking into consideration the environment.

BODY AND SLEEVES


Brass 617 UNI-EN 12165

PLUG

Plastic

FINISHING

Sand blast



R"	L	H	PN
1/2"	75	47	10

Le misure riportate in tabella sono espresse in mm
 All measures in the charts are expressed in mm





Rastelli Rubinetterie S.r.l.
Regione Monticelli, 10/14
28045 INVORIO (NO) - ITALY
Tel +39 0322 259691
Fax +39 0322 254761
Export: export@rastelli.it
Italia: ordini@rastelli.it
www.rastelli.it